

## Index to Volume 52

## Authors and Titles

- Adam P  
See Griffith SJ *et al.* 93
- Adkins SW  
See Allan SM *et al.* 345, 559
- Akimoto M  
See Zhang JM *et al.* 799
- Allan SM, Adkins SW, Preston CA, Bellairs SM  
Corrigendum to: Improved germination of the Australian natives: *Hibbertia commutata*, *Hibbertia amplexicaulis* (Dilleniaceae), *Chamaescilla corymbosa* (Liliaceae) and *Leucopogon nutans* (Epacridaceae) 559
- Allan SM, Adkins SW, Preston CA, Bellairs SM  
Improved germination of the Australian natives: *Hibbertia commutata*, *Hibbertia amplexicaulis* (Dilleniaceae), *Chamaescilla corymbosa* (Liliaceae) and *Leucopogon nutans* (Epacridaceae) 345
- Allen GR  
See Rapley LP *et al.* 747
- Arambarri AM  
See Stenglein SA *et al.* 73
- Attiwill PM, Martinelli LW  
The first 50 years of the *Australian Journal of Botany* 1
- Backhouse D  
See Neumann MJ *et al.* 543
- Balatti PA  
See Stenglein SA *et al.* 73
- Bale CL  
See Griffith SJ *et al.* 93
- Balmer J  
See Lynch AJJ *et al.* 619
- Banks MA  
See Carpenter RJ *et al.* 685
- Barnes RW  
See Poole I *et al.* 739
- Batalha MA, Martins FR  
Reproductive phenology of the cerrado plant community in Emas National Park (central Brazil) 149
- Batista F, Bouza N, González-Pérez A, Caujapé-Castells J, Sosa PA  
Genetic variation within and between populations of two endangered endemic species of the laurel forest from the Canary Islands, *Myrica rivas-martinezii* (Myricaceae) and *Sideritis discolor* (Lamiaceae) 471
- Battaglia M  
See Close DC *et al.* 133
- Beadle CL  
See Close DC *et al.* 133
- Belehu T, Hammes PS, Robbertse PJ  
The origin and structure of adventitious roots in sweet potato (*Ipomoea batatas*) 551
- Bell DM, Clarke PJ  
Seed-bank dynamics of *Eleocharis*: can spatial and temporal variability explain habitat segregation? 119
- Bellairs SM  
See Allan SM *et al.* 345, 559
- Bergstrom DM  
See Hall JA *et al.* 333
- Bouza N  
See Batista F *et al.* 471
- Bova AS  
See Dickinson MB *et al.* 757
- Bowman DMJS  
See Prior LD *et al.* 303
- See Vigilante T *et al.* 381, 405
- Broadhurst L, Byrne M, Craven L, Lepschi B  
Genetic congruence with new species boundaries in the *Melaleuca uncinata* complex (Myrtaceae) 729
- Brodrigg T  
See Jordan GJ *et al.* 765
- Bruzzzone L  
See Passarelli L *et al.* 659
- Bujang D  
See Osunkoya OO *et al.* 499
- Burgess LW  
See Neumann MJ *et al.* 543
- Byrne M  
See Broadhurst L *et al.* 729
- Byrne M, Hines B  
Phylogeographical analysis of cpDNA variation in *Eucalyptus loxophleba* (Myrtaceae) 459
- Cairney JWG  
See Midgley DJ *et al.* 63
- Caligari PDS  
See Sinha A *et al.* 669
- Carpenter RJ, Hill RS, Greenwood DR, Partridge AD, Banks MA  
No snow in the mountains: Early Eocene plant fossils from Hotham Heights, Victoria, Australia 685
- Carter DA  
See Neumann MJ *et al.* 543
- Caujapé-Castells J  
See Batista F *et al.* 471
- Chambers SM  
See Midgley DJ *et al.* 63
- Chang J  
See Yue C *et al.* 171
- Chu PWG  
See Godfree RC *et al.* 321
- Clarke PJ  
See Bell DM *et al.* 119
- Close DC, Battaglia M, Davidson NJ, Beadle CL  
Within-canopy gradients of nitrogen and photosynthetic activity of *Eucalyptus nitens* and *Eucalyptus globulus* in response to nitrogen nutrition 133
- Coates F  
See Huynh TT *et al.* 231
- Cochrane A  
See Shearer BL *et al.* 435
- Cody ML, Cody TWD  
Morphology and spatial distribution of alien sea-rockets (*Cakile* spp.) on South Australian and Western Canadian beaches 175
- Cody TWD  
See Cody ML *et al.* 175
- Cole IA, Lunt ID, Koen TB  
Effects of soil disturbance, weed control and mulch treatments on establishment of *Themeda triandra* (Poaceae) in a degraded white box (*Eucalyptus albens*) woodland in central western New South Wales 629
- Colquhoun IJ  
See D'Souza NK *et al.* 267
- Considine JA  
See Ma X *et al.* 55

- Crane CE  
See Shearer BL *et al.* 435
- Craven L  
See Broadhurst L *et al.* 729
- Cunningham SA  
See Duncan DH *et al.* 185
- Davidson NJ  
See Close DC *et al.* 133
- Dickinson MB, Jolliff J, Bova AS  
Vascular cambium necrosis in forest fires: using hyperbolic temperature regimes to estimate parameters of a tissue-response model 757
- Dixon KW  
See Panaia M *et al.* 257
- Dong M  
See Huang Z *et al.* 519
- Drinnan AN  
See Kremer CL *et al.* 243
- D'Souza NK, Colquhoun IJ, Shearer BL, Hardy GE St J  
The potential of five Western Australian native *Acacia* species for biological control of *Phytophthora cinnamomi* 267
- Duncan DH, Nicotra AB, Cunningham SA  
High self-pollen transfer and low fruit set in buzz-pollinated *Dianella revoluta* (Phormiaceae) 185
- Eamus D  
See McClenahan K *et al.* 509  
See McPherson S *et al.* 293  
See Prior LD *et al.* 303
- Enrico L  
See Gurvich DE *et al.* 647
- Fairfax RJ  
See Fensham RJ *et al.* 583, 719
- Fensham RJ, Fairfax RJ, Pocknee D, Kelley J  
Vegetation patterns in permanent spring wetlands of arid Australia 719
- Fensham RJ, Fairfax RJ, Sharpe PR  
Spring wetlands in semi-arid Queensland: floristics, environmental relations, classification and conservation values 583
- Fletcher TD  
See Keatley MR *et al.* 47
- French K  
See Hill SJ *et al.* 23
- Funes G  
See Gurvich DE *et al.* 647
- Godfree RC, Chu PWG, Woods MJ  
White clover (*Trifolium repens*) and associated viruses in the subalpine region of south-eastern Australia: implications for GMO risk assessment 321
- González-Pérez A  
See Batista F *et al.* 471
- Gore P  
See Patterson B *et al.* 781
- Gosper CR  
Fruit characteristics of invasive bitou bush, *Chrysanthemoides monilifera* (Asteraceae), and a comparison with co-occurring native plant species 223
- Greenwood DR  
See Carpenter RJ *et al.* 685
- Griffith SJ, Bale CL, Adam P  
The influence of fire and rainfall upon seedling recruitment in sand-mass (wallum) heathland of north-eastern New South Wales 93
- Guest DI  
See Reiter N *et al.* 425
- Gurvich DE, Enrico L, Funes G, Zak MR  
Seed mass, seed production, germination and seedling traits in two phenological types of *Bidens pilosa* (Asteraceae) 647
- Gutterman Y  
See Huang Z *et al.* 519
- Hall JA, Walter GH, Bergstrom DM, Machin P  
Pollination ecology of the Australian cycad *Lepidozamia peroffskyana* (Zamiaceae) 333
- Hammes PS  
See Belehu T *et al.* 551
- Hardy GE St J  
See D'Souza NK *et al.* 267
- Hill RS  
See Carpenter RJ *et al.* 685
- Hill SJ, French K  
Potential impacts of fire and grazing in an endangered ecological community: plant composition and shrub and eucalypt regeneration in Cumberland Plain Woodland 23
- Hilu KW  
Phylogenetics and chromosomal evolution in the Poaceae (grasses) 13
- Hines B  
See Byrne M *et al.* 459
- Hingston AB, McQuillan PB, Potts BM  
Pollinators in seed orchards of *Eucalyptus nitens* (Myrtaceae) 209
- Hingston AB, Potts BM, McQuillan PB  
Pollination services provided by various size classes of flower visitors to *Eucalyptus globulus* ssp. *globulus* (Myrtaceae) 353
- Hingston AB, Potts BM, McQuillan PB  
The swift parrot, *Lathamus discolor* (Psittacidae), social bees (Apidae) and native insects as pollinators of *Eucalyptus globulus* ssp. *globulus* (Myrtaceae) 371
- Holige TM  
See Osunkoya OO *et al.* 499
- Hongo A  
See Zhang JM *et al.* 799
- Huang X  
See Ma G *et al.* 81
- Huang Z, Dong M, Gutterman Y  
Caryopsis dormancy, germination and seedling emergence in sand, of *Leymus racemosus* (Poaceae), a perennial sand-dune grass inhabiting the Junggar Basin of Xinjiang, China 519
- Hudson I  
See Keatley MR *et al.* 47
- Huynh TT, McLean CB, Coates F, Lawrie AC  
Effect of developmental stage and peloton morphology on success in isolation of mycorrhizal fungi in *Caladenia formosa* (Orchidaceae) 231
- Johnston FM, Pickering CM  
Effect of altitude on resource allocation for the weed *Achillea millefolium* (yarrow, Asteraceae) in the Australian Alps 639
- Jolliff J  
See Dickinson MB *et al.* 757
- Jordan GJ, Brodribb T, Loney PE  
Water loss physiology and the evolution within the Tasmanian conifer genus *Athrotaxis* (Cupressaceae) 765

- Kaga A  
See Saravanakumar P *et al.* 417
- Keatley MR, Hudson I, Fletcher TD  
Long-term flowering synchrony of box-ironbark eucalypts 47
- Kelley J  
See Fensham RJ *et al.* 719
- Kirkpatrick JB  
See Leeson KE *et al.* 39  
See Leonard SWJ *et al.* 529
- Kirkpatrick JB  
Vegetation change in an urban grassy woodland 1974–2000 597
- Koen TB  
See Cole IA *et al.* 629
- Korczynskyj D  
See Lamont BB *et al.* 561
- Kremer CL, Drinnan AN  
Secondary walls in hyaline cells of *Sphagnum* 243
- Lamont BB, Wittkuhn R, Korczynskyj D  
**Turner Review No. 8.** Ecology and ecophysiology of grasses 561
- de Lange PJ, Murray BG  
Chromosome numbers in *Kunzea* (Myrtaceae) 609
- Lawrie AC  
See Huynh TT *et al.* 231
- Leeson KE, Kirkpatrick JB  
Ecological and physiological explanations for the restriction of a Tasmanian species of *Ozothamnus* to a single population 39
- Leishman MR  
See Thomson VP *et al.* 141
- Leonard SWJ, Kirkpatrick JB  
Effects of grazing management and environmental factors on native grassland and grassy woodland, Northern Midlands, Tasmania 529
- Lepschi B  
See Broadhurst L *et al.* 729
- Loney PE  
See Jordan GJ *et al.* 765
- Lunt ID  
See Cole IA *et al.* 629  
See Spooner PG *et al.* 445
- Lynch AJ, Balmer J  
The ecology, phytosociology and stand structure of an ancient endemic plant *Lomatia tasmanica* (Proteaceae) approaching extinction 619
- Ma G, Huang X, Zhao N, Xu Q  
Apospory in *Paspalum thunbergii* 81
- Ma X, Considine JA, Yan G  
Chloroplast DNA variation and inheritance in waxflowers (Myrtaceae) 55
- Machin P  
See Hall JA *et al.* 333
- Macinnis-Ng C  
See McClenahan K *et al.* 509
- Malo JE  
Potential ballistic dispersal of *Cytisus scoparius* (Fabaceae) seeds 653
- Martinelli LW  
See Attiwill PM *et al.* 1
- Martins FR  
See Batalha MA *et al.* 149
- Mather PB  
See Prentis PJ *et al.* 201
- Mathiasen RL  
See Shaw DC *et al.* 481
- McClenahan K, Macinnis-Ng C, Eamus D  
Hydraulic architecture and water relations of several species at diverse sites around Sydney 509
- McDougall KL, Wright GT  
The impact of trampling on fieldmark vegetation in Kosciuszko National Park, Australia 315
- McLean CB  
See Huynh TT *et al.* 231
- McPherson S, Eamus D, Murray BR  
Seasonal impacts on leaf attributes of several tree species growing in three diverse ecosystems of south-eastern Australia 293
- McQuillan PB  
See Hingston AB *et al.* 209, 353, 371
- Meyers NM  
See Prentis PJ *et al.* 201
- Midgley DJ, Chambers SM, Cairney JW  
Inorganic and organic substrates as sources of nitrogen and phosphorus for multiple genotypes of two ericoid mycorrhizal fungal taxa from *Livistona pungenis* and *Leucopogon parviflorus* (Ericaceae) 63
- Moksin H  
See Osunkoya OO *et al.* 499
- Murray BG  
See de Lange PJ *et al.* 609
- Murray BR  
See McPherson S *et al.* 293
- Neumann MJ, Backhouse D, Carter DA, Summerell BA, Burgess LW  
Genetic structure of populations of *Fusarium proliferatum* in soils associated with *Livistona mariae* palms in Little Palm Creek, Northern Territory, Australia 543
- Nicotra AB  
See Duncan DH *et al.* 185
- Oliveira DMT  
See Paiva EAS *et al.* 677
- Osunkoya OO, Bujang D, Moksin H, Wimmer FL, Holige TM  
Leaf properties and construction costs of common, co-occurring plant species of disturbed heath forest in Borneo 499
- Paiva EAS, Oliveira DMT  
Ontogenesis of the fruit pulp layer of *Hymenaea stigonocarpa* (Fabaceae: Caesalpinioideae) 677
- Panaia M, Senaratna T, Dixon KW, Sivasithamparan K  
The role of cytokinins and thidiazuron in the stimulation of somatic embryogenesis in key members of the Restionaceae 257
- Partridge AD  
See Carpenter RJ *et al.* 685
- Passarelli L, Bruzzone L  
Significance of floral colour and scent in three *Solanum* sect. *Cyphomandropsis* species (Solanaceae) with different floral rewards 659
- Patterson B, Gore P, Potts BM, Vaillancourt RE  
Advances in pollination techniques for large-scale seed production in *Eucalyptus globulus* 781
- Patterson B, Vaillancourt RE, Pilbeam DJ, Potts BM  
Factors affecting variation in outcrossing rate in *Eucalyptus globulus* 773
- Pickering CM  
See Johnston FM *et al.* 639
- Pilbeam DJ  
See Patterson B *et al.* 773

- Pocknee D  
See Fensham RJ *et al.* 719
- Poole I, Barnes RW  
Comparative wood anatomy of *Eucryphia wilkiei* and *E. jinksii* (Cunoniaceae): two narrow endemics from Queensland, Australia 739
- Potts BM  
See Hingston AB *et al.* 209, 353, 371  
See Patterson B *et al.* 773, 781  
See Patterson B *et al.*  
See Rapley LP *et al.* 747  
See Williams DR *et al.* 281
- Prenner G  
Floral development in *Daviesia cordata* (Leguminosae: Papilionoideae: Mirbeliaceae) and its systematic implications 285
- Prentis PJ, Vesey A, Meyers NM, Mather PB  
Genetic structuring of the stream lily *Helmholtzia glaberrima* (Phylodraceae) within Toolona Creek, south-eastern Queensland 201
- Preston CA  
See Allan SM *et al.* 345, 559
- Prior LD, Eamus D, Bowman DMJS  
Tree growth rates in north Australian savanna habitats: seasonal patterns and correlations with leaf attributes 303
- Rapley LP, Allen GR, Potts BM  
Genetic variation in *Eucalyptus globulus* in relation to susceptibility from attack by the southern eucalypt leaf beetle, *Chrysophtharta agricola* 747
- Reiter N, Weste G, Guest DI  
The risk of extinction resulting from disease caused by *Phytophthora cinnamomi* to endangered, vulnerable or rare plant species endemic to the Grampians, Western Victoria 425
- Robertse PJ  
See Belehu T *et al.* 551
- Saffer VM  
Are diel patterns of nectar production and anthesis associated with other floral traits in plants visited by potential bird and mammal pollinators? 87
- Saravanakumar P, Kaga A, Tomooka N, Vaughan DA  
AFLP and RAPD analyses of intra- and interspecific variation in some *Vigna* subgenus *Ceratotropis* (Leguminosae) species 417
- Senaratna T  
See Panaia M *et al.* 257
- Sharpe PR  
See Fensham RJ *et al.* 583
- Shaw DC, Watson DM, Mathiasen RL  
Comparison of dwarf mistletoes (*Arceuthobium* spp., Viscaceae) in the western United States with mistletoes (*Amyema* spp., Loranthaceae) in Australia—ecological analogs and reciprocal models for ecosystem management 481
- Shearer BL, Crane CE, Cochrane A  
Quantification of the susceptibility of the native flora of the South-West Botanical Province, Western Australia, to *Phytophthora cinnamomi* 435
- Shearer BL  
See D'Souza NK *et al.* 267
- Sinha A, Caligari PDS  
Aspects of isolation underpinning mitotic behaviour in lupin protoplasts 669
- Sivasithamparan K  
See Panaia M *et al.* 257
- Smethurst PJ  
See Williams DR *et al.* 281
- Sosa PA  
See Batista F *et al.* 471
- Spooner PG, Lunt ID  
The influence of land-use history on roadside conservation values in an Australian agricultural landscape 445
- Stenglein SA, Arambarri AM, Vizgarra AN, Balatti PA  
Micromorphological variability of leaf epidermis in Mesoamerican common bean (*Phaseolus vulgaris*, Leguminosae) 73
- Summerell BA  
See Neumann MJ *et al.* 543
- Thomson VP, Leishman MR  
Survival of native plants of Hawkesbury sandstone communities with additional nutrients: effect of plant age and habitat 141
- Tierney DA  
Towards an understanding of population change for the long-lived resprouting tree *Angophora inopina* (Myrtaceae) 31
- Tomooka N  
See Saravanakumar P *et al.* 417
- Tyagi AP  
Precipitation effect on flowering and propagule setting in mangroves of the family Rhizophoraceae 789
- Vaillancourt RE  
See Patterson B *et al.* 773, 781
- Vaughan DA  
See Saravanakumar P *et al.* 417
- Vesey A  
See Prentis PJ *et al.* 201
- Vigilante T, Bowman DMJS  
Effects of fire history on the structure and floristic composition of woody vegetation around Kalumburu, North Kimberley, Australia: a landscape-scale natural experiment 381  
Effects of individual fire events on the flower production of fruit-bearing tree species, with reference to Aboriginal people's management and use, at Kalumburu, North Kimberley, Australia 405
- Vizgarra AN  
See Stenglein SA *et al.* 73
- Walter G  
See Hall JA *et al.* 333
- Wang Ku  
See Yue C *et al.* 171
- Watson DM  
See Shaw DC *et al.* 481
- Weste G  
See Reiter N *et al.* 425
- Williams DR, Potts BM, Smethurst PJ  
Short Communication. Phosphorus fertiliser can induce earlier vegetative phase change in *Eucalyptus nitens* 281
- Wimmer FL  
See Osunkoya OO *et al.* 499
- Wittkuhn R  
See Lamont BB *et al.* 561
- Woodall GS  
Cracking the woody endocarp of *Santalum spicatum* nuts by wetting and rapid drying improves germination 163
- Woods MJ  
See Godfree RC *et al.* 321
- Wooller RD  
See Wooller SJ *et al.* 195

Wooler SJ, Wooler RD

Seed viability in relation of pollinator availability in *Banksia baxteri* 195

Wright GT

See McDougall KL *et al.* 315

Xu Q

See Ma G *et al.* 81

Yan G

See Ma X *et al.* 55

Yue C, Chang J, Wang Ku, Zhu Y

Response of clonal growth in *Phyllostachys praecox* cv. *prevernalis* to changing light intensity 171

Zak MR

See Gurvich DE *et al.* 647

Zhang JM, Hongo A, Akimoto M

Physical strength and its relation to leaf anatomical characteristics of nine forage grasses 799

Zhao N

See Ma G *et al.* 81

Zhu Y

See Yue C *et al.* 171